

## APPENDIX B

## Properties of the Elements and Certain Molecules

Element or molecule	Symbol	Atomic number	Atomic or molecular weight*	Nominal density, gm/cm <sup>3</sup>	Atoms or molecules per cm <sup>3</sup> †	$\sigma_{a,t}$ barns	$\sigma_{n,t}$ barns	$\Sigma_{a,t}$ cm <sup>-1</sup>	$\Sigma_{n,t}$ cm <sup>-1</sup>
Actinium	Ac	89	227			∞∞			
Aluminum	Al	13	26.9815	2.699	0.06024	0.235	1.4	0.01416	0.08434
Antimony	Sb	51	121.75	6.62	0.03275	5.5	4.3	0.1801	0.1408
Argon	Ar	18	39.948	Gas		0.63	1.5		
Arsenic	As	33	74.9216	5.73	0.04606	4.5	6	0.2073	0.2764
Barium	Ba	56	137.34	3.5	0.01535	1.2	8	0.01842	0.1228
Beryllium	Be	4	9.0122	1.85	0.1236	0.0095	7.0	0.001174	0.8652
Beryllium oxide	BeO		25.0116	2.96	0.07127	0.0095	6.8	0.0006771	0.4646
Bismuth	Bi	83	208.980	9.80	0.02824	0.034	9	0.0009602	0.2542
Boron	B	5	10.811	2.3	0.1281	759	4	97.23	0.5124
Bromine	Br	35	79.909	3.12	0.02351	6.7	6	0.1575	0.1411
Cadmium	Cd	48	112.40	8.65	0.04635	2450	7	113.6	0.3245
Calcium	Ca	20	40.08	1.55	0.02329	0.43	3.0	0.01002	0.06987
Carbon (graphite)**	C	6	12.01115	1.60	0.08023	0.0034	4.8	0.0002728	0.3851
Cerium	Ce	58	140.12	6.78	0.02914	0.7	9	0.02040	0.2623
Cesium	Cs	55	132.905	1.9	0.008610	30	20	0.2583	0.1722
Chlorine	Cl	17	35.453	Gas		33	16		
Chromium	Cr	24	51.996	7.19	0.08328	3.1	3	0.2582	0.2498
Cobalt	Co	27	58.9332	8.8	0.08993	37	7	3.327	0.6295
Columbium (see niobium)									
Copper	Cu	29	63.54	8.96	0.08493	3.8	7.2	0.3227	0.6115
Deuterium	D	1	2.01410	Gas		0.0005			
Dysprosium	Dy	66	162.50	8.56	0.03172	940	100	29.82	3.172
Erbium	Er	68	167.26	9.16	0.03203	160	15	5.125	0.4805
Europium	Eu	63	151.96	5.22	0.02069	4300	8	88.97	0.1655
Fluorine	F	9	18.9984	Gas		0.0098	3.9		
Gadolinium	Gd	64	157.25	7.95	0.03045	46,000	4	1401	0.1218
Gallium	Ga	31	69.72	5.91	0.05105	3.0		0.1532	
Germanium	Ge	32	72.59	5.36	0.04447	2.4	3	0.1067	0.1334
Gold	Au	79	196.967	19.32	0.05907	98.8	9.3	5.836	0.5494
Hafnium	Hf	72	178.49	13.36	0.04508	105	8	4.733	0.3606
Heavy water††	D <sub>2</sub> O		20.0276	1.105	0.03323	0.0010	13.6	3.323 × 10 <sup>-5</sup>	0.4519
Helium	He	2	4.0026	Gas		≤ 0.050	0.8		
Holmium	Ho	67	164.930	8.76	0.03199	65		2.079	
Hydrogen	H	1	1.008665	Gas		0.332			
Illinium (see promethium)									
Indium	In	49	114.82	7.31	0.03834	194	2.2	7.438	0.08435
Iodine	I	53	126.9044	4.93	0.02340	6.4	3.6	0.1498	0.08242
Iridium	Ir	77	192.2	22.5	0.07050	460		32.43	
Iron	Fe	26	55.847	7.87	0.08487	2.53	11	0.2147	0.9336
Krypton	Kr	36	83.80	Gas		24	7.2		
Lanthanum	La	57	138.91	6.19	0.02684	8.9	15	0.2389	0.4026
Lead	Pb	82	203.973	11.34	0.03348	0.17	11	0.005692	0.3683
Lithium	Li	3	6.939	0.53	0.04600	71	1.4	3.266	0.0644
Lutetium	Lu	71	174.91	9.74	0.03354	80		2.683	
Magnesium	Mg	12	24.312	1.74	0.04310	0.063	4	0.002715	0.1724
Manganese	Mn	25	54.9380	7.43	0.08145	13.3	2.3	1.083	0.1873
Mercury	Hg	80	200.59	13.55	0.04068	360	20	14.64	0.8136
Molybdenum	Mo	42	95.94	10.2	0.06403	2.6	7	0.1665	0.4482
Neodymium	Nd	60	144.24	6.98	0.02914	50	16	1.457	0.4662
Neon	Ne	10	20.183	Gas		0.032	2.4		
Nickel	Ni	28	58.71	8.90	0.09130	4.6	17.5	0.4200	1.597
Niobium	Nb	41	92.906	8.57	0.05555	1.1	5	0.06111	0.2778
Nitrogen	N	7	14.0067	Gas		1.85	10		

Element or molecule	Symbol	Atomic number	Atomic or molecular weight*	Nominal density, gm/cm <sup>3</sup>	Atoms or molecules per cm <sup>3</sup> †	$\sigma_s$ , † barns	$\sigma_{s, \dagger}$ barns	$\Sigma_s$ , † cm <sup>-1</sup>	$\Sigma_{s, \dagger}$ cm <sup>-1</sup>
Osmium	Os	76	190.2	22.5	0.07124	15	11	1.069	0.7836
Oxygen	O	8	15.9994	Gas		<0.0002	4.2		
Palladium	Pd	46	106.4	12.0	0.06792	8	3.6	0.5434	0.2445
Phosphorus (yellow)	P	15	30.9738	1.82	0.03539	0.19	5	0.006724	0.1770
Platinum	Pt	78	195.09	21.45	0.06622	10	10	0.6622	0.6622
Plutonium	Pu	94	239	19.6	0.04939	$\sigma_a = 1015$ $\sigma_f = 741$	9.6	49.88 36.55	0.4741
Polonium	Po	84	210	9.51	0.02727				
Potassium	K	19	39.102	0.86	0.01325	2.1	1.5	0.02783	0.01988
Praseodymium	Pr	59	140.907	6.78	0.02898	12	4	0.1965	0.1159
Promethium	Pm	61							
Protactinium	Pa	91	231			210			
Radium	Ra	88	226	5.0	0.01332	20		0.2664	
Rhenium	Re	75	186.2	20	0.06596	85	14	5.607	0.9234
Rhodium	Rh	45	102.905	12.41	0.07263	155	5	11.26	0.3632
Rubidium	Rb	37	85.47	1.53	0.01078	0.73	12	0.007869	0.1294
Ruthenium	Ru	44	101.07	12.2	0.07270	2.5	6	0.1818	0.4362
Samarium	Sm	62	150.35	6.93	0.02776	5800	5	161.0	0.1388
Scandium	Sc	21	44.956	2.5	0.03349	23	24	0.7703	0.8038
Selenium	Se	34	78.96	4.81	0.03669	12	11	0.4403	0.4036
Silicon	Si	14	28.086	2.33	0.04996	0.16	1.7	0.1164	0.08493
Silver	Ag	47	107.870	10.49	0.05857	63	6	3.690	0.3514
Sodium	Na	11	22.9898	0.97	0.02541	0.53	4	0.01347	0.1016
Strontium	Sr	38	87.62	2.6	0.01787	1.3	10	0.02323	0.1787
Sulfur (yellow)	S	16	32.064	2.07	0.03888	0.52	1.1	0.2022	0.04277
Tantalum	Ta	73	180.948	16.6	0.05525	21	5	1.160	0.2763
Technetium	Tc	43	99			22			
Tellurium	Te	52	127.60	6.24	0.02945	4.7	5	0.1384	0.1473
Terbium	Tb	65	158.924	8.33	0.03157	46		1.452	
Thallium	Tl	81	204.37	11.85	0.03492	3.3	14	0.1152	0.4889
Thorium	Th	90	232.038	11.71	0.03039	7.4	12.6	0.2249	0.3829
Thulium	Tm	69	168.934	9.35	0.03314	125	7	4.143	0.2320
Tin	Sn	50	118.69	7.298	0.03703	0.63	4	0.02333	0.1481
Titanium	Ti	22	47.90	4.51	0.05670	6.1	4	0.3459	0.2268
Tungsten	W	74	183.85	19.2	0.06289	19	5	1.195	0.3145
Uranium	U	92	238.03	19.1	0.04833	$\sigma_a = 7.6$ $\sigma_f = 4.2$	8.3	0.3673 0.2030	0.4011
Vanadium	V	23	50.942	6.1	0.07212	4.9	5	0.3534	0.3606
Water	H <sub>2</sub> O		18.0167	1.0	0.03343	0.664	103	0.02220	3.443
Xenon	Xe	54	131.30	Gas		24	4.3		
Ytterbium	Yb	70	173.04	7.01	0.02440	37	12	0.9208	0.2928
Yttrium	Y	39	88.905	5.51	0.03733	1.3	3	0.04853	0.1120
Zinc	Zn	30	65.37	7.133	0.06572	1.10	3.6	0.07229	0.2366
Zirconium	Zr	40	91.22	6.5	0.04291	0.18	8	0.007724	0.3433

\* Based on C<sup>12</sup> = 12.00000 amu.

† Four-digit accuracy for computational purposes only; last digit(s) usually is not meaningful.

‡ Cross sections at 0.0253 eV or 2200 m/sec. The scattering cross sections, except for those of H<sub>2</sub>O and D<sub>2</sub>O, are measured values in a thermal neutron spectrum and are assumed to be 0.0253 eV values because  $\sigma_s$  is usually constant at thermal energies. The errors in  $\sigma_s$  tend to be large, and the tabulated values of  $\sigma_s$  should be used with caution. (From BNL-325, 2nd ed., 1958 plus supplements 1 and 2, 1960, 1964, and 1965.)

\*\* The value of  $\sigma_a$  given in the table is for pure graphite. Commercial reactor-grade graphite contains varying amounts of contaminants and  $\sigma_a$  is somewhat larger, say, about 0.0048 barns, so that  $\Sigma_a \approx 0.0003851$  cm<sup>-1</sup>.

†† The value of  $\sigma_a$  given in the table is for pure D<sub>2</sub>O. Commercially available heavy water contains small amounts of ordinary water and  $\sigma_a$  in this case is somewhat larger.